

10 METRE PILOT BELT UNIT FEATURES

Flexibility and Durability

10 Metre Belt & Locking Clip

At 10 metres Pilot has the longest belt in its class. It is fitted with a brake and locking belt clip.

Note: Always walk the belt back to the unit to avoid folding within the Pilot body. DO NOT allow the belt to retract on its own.

Stainless Steel Bearings

Crucial internals run on sealed stainless steel bearings and aluminium spindles, not plastic bushes.

Twist-lok Connectivity

Provides simple connection of most Pilot accessories without the need for tools.



Made tough to last

The Pilot body is moulded from tough nylon to take the bump and grind of daily life in the field.

Anti-tamper Feature

The Pilot belt unit is fitted with a security screw which helps prevent any unauthorised removal of the unit.

Utility Clips (PILOT-BUC)

Included on each belt is a sliding utility clip which allows the belt to be attached to a second receiver at any point along its length.

Wall Receiver (NWR-LC)

Each Pilot belt barrier is supplied with one fixed wall receiver.

Detachable Cone Adaptor (PILOT-CMA)

Each Pilot belt unit is supplied with one cone mount adaptor that fits our 1 metre traffic cones. Additional adaptors are available upon request.



Pilot Wall Mount Bracket


(Pilot accessories are sold separately)

The Pilot wall mount bracket can be permanently fixed to any flat surface or to a Pilot Multi-Post. The built in Twist-lok feature means the Pilot unit can be quickly attached or removed from the bracket as required. This bracket is also compatible with the full range of Pilot accessories below.

Part No.	Product Description
PILOT-WMB	Pilot wall-mount bracket
PILOT-WMB-VP	PILOT-WMB value pack of 10
NWR-LC	Additional Fixed wall receiver clip



 **The wall mount bracket is compatible with these accessories:**




<p>Pilot belt unit</p> 	<p>Pilot hazard light</p> 	<p>Sign holders</p> 	<p>High 5 hook</p> 	<p>4-way adaptor</p> 	<p>Pump bottle</p> 
---	--	--	---	---	---



Pilot Magna-Mount Bracket

(Pilot accessories are sold separately)

The strong magnet in the Pilot magna-mount bracket allows temporary placement of the Pilot unit on any steel surface. Each magna mount bracket comes with a built in safety bungy cord that protects the unit from damage should it be accidentally dislodged. It also comes with a magnetic receiver clip (NMWR-HD) which allows the extended belt to be attached to a metal surface at the other end. The magna-mount bracket is also compatible with the range of Pilot accessories below.

Part No.	Product Description
PILOT-MMB	Pilot magna-mount bracket 
PILOT-MMB-VP	PILOT-MMB value pack of 10 
NMWR-HD	Additional magnetic receiver clip 

 The magna-mount bracket is compatible with these accessories:



Pilot 1 Metre Cones

(Pilot accessories are sold separately)

Standard 1 metre traffic cones, with a rubber base and reflective collar, weigh 6.4kg. They are available in Red or Yellow and accepts any Pilot accessories fitted with cone adaptors. Additional rubber base weights add approximately 5.3kgs and are recommended.

Part No.	Product Description
BTC1000R	1 metre traffic cone – Red
BTC1000R-VP	BTC1000R value pack of 10
BTC1000Y	1 metre traffic cone – Yellow
BTC1000Y-VP	BTC1000Y value pack of 10
PILOT-CMA	Additional cone mount adaptor
PILOT-CMA-VP	PILOT-CMA value pack of 10
BTC1000B	Additional 5.3kg rubber base weight



1 metre cones are available in red and yellow.

Additional Base Weight 5.3kgs

It is recommended that an additional base weight be added to existing cones when using with Pilot in windy conditions.



 **When used with Pilot cone adaptor (shown), Pilot 1 metre cones are compatible with these accessories:**


<p>Pilot belt unit</p> 	<p>Pilot hazard light</p> 	<p>Sign holders</p> 	<p>High 5 hook</p> 	<p>4-way adaptor</p> 	<p>Pump bottle</p> 
---	--	--	---	---	---

Hi-Line Post and Base

(Pilot accessories are sold separately)

An 8.7kg moulded rubber base and 63mm diameter Yellow or Grey UPVC post provide stability and durability. The post includes a Twist-lok receiver to accept the Pilot belt unit and accessories shown below.

Part No.	Product Description
PHLPVC	Pilot Hi-Line post and base
PHLPVC-VP	PHLPVC value pack of 10



 Hi-Line post and base is compatible with these accessories:

<p>Pilot belt unit</p> 	<p>Pilot hazard light</p> 	<p>Sign holders</p> 	<p>High 5 hook</p> 	<p>4-way adaptor</p> 	<p>Pump bottle</p> 
---	--	--	---	---	---

Co-Pilot 20Kg Post And Base

(Pilot accessories are sold separately)

The biggest problem with long reach belt barriers used outside is wind. With its 20kg cast iron base and stainless steel post, Co-Pilot provides stability and mobility, while the 75mm non-marking polyurethane wheels and pozi-grip handle make positioning as simple as tilt and walk.

If necessary, stability can be increased even further through the addition of optional 10kg base weights (P/No. PILOT-BW10). Up to two base weights at 10kgs each can be added bringing the total weight of the Co-pilot base up to 40kgs. Base weights can be added or removed at any time without the need for tools.


What's included with your Co-Pilot purchase:

- 20kg base with ball-bearing polyurethane wheels
- Cast-in lifting handles on base
- Stainless steel post with pozi-grip handle
- Post top accessory mounting adaptor
- Twist-lok versatility to accept Pilot accessories







Part No.	Product Description
CO-PILOT20	Co-Pilot 20kg portable post and base
PILOT-BW10	Pilot 10kg cast iron base weight

PILOT-BW10

Optional Pilot 10kg cast iron base weight



Co-Pilot is compatible with these accessories:

<p>Pilot belt unit</p> 	<p>Pilot hazard light</p> 	<p>Sign holders</p> 	<p>High 5 hook</p> 	<p>4-way adaptor</p> 	<p>Pump bottle</p> 
---	--	--	---	---	---

CO-PILOT FEATURES

Stability and Mobility

Twist-lok Versatility

Post mount adaptor allows for simple attachment and removal of Pilot accessories.

Pozi-grip Handle

Makes relocating as easy as tilt and walk.

Lifting Handles

Two cast-in handles make lifting Co-Pilot safe and easy to lift.

Stainless Steel Post


The 1.5mm thick 304 grade stainless steel post provides durability in extreme environments.

20kg Cast Base

A cast iron base for maximum stability. Highly recommended for windy applications.

Ball Bearing Wheels

Non-marking polyurethane wheels with sealed bearing are smooth and silent.



Pilot 20Kg Telescopic Multi-Post

(Pilot accessories are sold separately)

Pilot Multi-Post – Whatever you want it to be!


The telescopic post is mounted to a mobile 20kg cast iron base that can extend 700mm from 1300mm to 2000mm or be locked anywhere between. Multi-Post can be configured in numerous ways using the included accessory mountings.

In outdoor or windy conditions the stability of Multi-Post can be increased through the addition of optional 10kg base weights (P/No. PILOT-BW10). Up to two base weights at 10kgs each can be added bringing the total weight of the Multi-Post base to 40kgs. The weights can be added or removed at anytime without the need for tools.

What's included with your 20kg Multi-Post purchase:

- 20kg base with ball-bearing polyurethane wheels
- Telescopic post – 1300 to 2000mm
- Mid-level accessory mounting adaptor
- Telescopic post locking clamp
- Aluminium double sided sign brackets (2)
- Post top accessory mounting adaptor

Part No.	Product Description
PILOT-TMP20	Pilot Telescopic Multi-Post
PILOT-BW10	Pilot 10kg cast iron base weight



PILOT-BW10
 Optional Pilot 10kg
 cast iron base weight



PILOT MULTI-POST FEATURES

Versatility and Mobility

Post Mount Adaptor

This Twist-lok adaptor sits at the very top of Multi-Post and accepts Pilot light and Pilot sign holders.

Bonus Sign Mount Brackets

Two double sided aluminium sign brackets with fixings to attach Multi-Post signs. See page 104.

Telescopic Aluminium Post

50mm upper post has a travel of 700mm and can be locked anywhere between 1300 and 2000mm.

Accessory Mounting Adaptor

Clamps around the lower post, and accepts a range of Pilot accessories.

Lower Stainless Steel Post

63.5mm diameter by 1.5mm thick 304 grade stainless steel.

20kg Cast Iron Base

The mobile cast iron base with built in lifting handles provides stability and portability.

Ball Bearing Wheels

Non-marking polyurethane wheels with sealed bearings are smooth and silent



PS604-PP 300 x 450mm



PS607-PP 300 x 450mm



PS608-PP 300 x 450mm



PS609-PP 300 x 450mm



PS613-PP 300 x 450mm



PS614-PP 300 x 450mm



PS611-PP 300 x 450mm



PSCUSTOM-PP 300 x 450mm

Examples of stock polypropylene signs. Others available on request.

4-Way Receiver

(Pilot accessories are sold separately)

The 4-way receiver allows up to four Pilot belts to be terminated simultaneously, avoiding the need to purchase additional Pilot bodies. Compatible with all the accessories shown below.



Part No.	Product Description
PILOT-4WR	Pilot 4-way receiver
PILOT-4WR-VP	PILOT-4WR value pack of 10



4-way receiver
 shown here with cone
 adaptor and cone

 The 4-way receiver is compatible with these accessories:

<p>All post mounts</p> 	<p>Pilot hazard light</p> 	<p>Co-Pilot</p> 	<p>Wall mount and Magna-Mount</p> 	<p>Cones</p> 	<p>High 5 hook</p> 	<p>Pump bottle</p> 
--	---	---	---	--	--	--

Pilot Sign Holders

(Pilot accessories are sold separately)

The Pilot A4 and A5 sign holders use our Twist-lok design to attach to the range of accessories shown below. Each sign holder is supplied with a clear double sided acrylic sign pocket which allows the insertion of low-cost paper signs printed on any office printer.

Part No.	Product Description
PILOT-A5SH	Pilot A5 sign holder
PILOT-A4SH	Pilot A4 sign holder
PILOT-A4SH-VP	PILOT-A4SH value pack of 10



Shown here with PVC post



Shown here with cone adaptor and cone



 Pilot sign holders are compatible with these accessories:



Solar Powered Hazard Light

(Pilot accessories are sold separately)

Like most of the other components in the Pilot system, the solar powered LED hazard light utilises our unique Twist-lok quick connect system to attach to the accessories shown below. Pilot lights are available in Red, Green, White or Amber. When fully charged after exposure to sunlight, the lights will continue to function for many hours without the need for batteries. A built-in 3-position switch allows the selection of OFF, FLASH or STATIC modes. The reflective band increases night visibility and indicates the colour of the LED's.

Note: These solar powered hazard lights are intended for external use. They are designed to switch on automatically at dusk, off at sunrise and charge by exposure to sunlight.

Light Colour Options:



Part No.	Product Description
PILOT-LTR	Pilot solar LED hazard light – Red
PILOT-LTG	Pilot solar LED hazard light – Green
PILOT-LTW	Pilot solar LED hazard light – White
PILOT-LTA	Pilot solar LED hazard light – Amber



PILOT-LTR
 shown mounted
 to Pilot belt unit



Pilot hazard lights are compatible with these accessories:

<p>Pilot belt unit</p>	<p>Cone adaptor</p>	<p>All post mounts</p>	<p>Wall mount and Magna-Mount</p>	<p>4-way adaptor</p>	<p>High 5 hook</p>
-------------------------------	----------------------------	-------------------------------	--	-----------------------------	---------------------------

Pilot High 5 Hook Accessory


(Pilot accessories are sold separately)

Pilot High 5 is a handy Twist-lok hook accessory that connects with any Pilot post, cone or wall/magna mount to create a versatile hanging point. Useful for keeping leads suspended off the floor or as a staging point for safety vests etc.

Part No.	Product Description
PILOT-H5	Pilot High 5 hook accessory
PILOT-H5-VP	PILOT-H5 value pack of 10



Pilot High 5 Hook used with Multi-Post



Pilot High 5 Hook with solar light and cone mount adaptor

 **Pilot High 5 is compatible with these accessories:**

- | | | | | | | |
|---|--|---|--|---|--|---|
| <p>Pilot belt unit</p>  | <p>Pilot hazard light</p>  | <p>Co-Pilot and Multi-Post</p>  | <p>Cone adaptor</p>  | <p>All post mounts</p>  | <p>Wall mount and Magna-Mount</p>  | <p>4-way adaptor</p>  |
|---|--|---|--|---|--|---|

Pilot Pump Bottle and Cradle

(Pump bottle and cradle are sold separately)


The Pilot pump bottle cradle is moulded from durable polypropylene, it is designed to accept a 500ml pump bottle. A handy solution for dispensing liquids or creams, such as sanitisers, moisturisers, burn creams or sunscreen etc. The built-in Twist-lok feature means the cradle is compatible with all the accessories shown below.

Note: When used with Multi-Post the cradle also requires the Pilot wall mount bracket, as shown.

Part No.	Product Description
PILOT-PC75B	Pilot 75mm cradle and bottle – 1 set
PILOT-PC75	Pilot 75mm pump bottle cradle – 1 only
PILOT-PB500	500ml pump clear bottle for PILOT-PC75 – Pack of 10
PILOT-PC75B-VP	PILOT-PC75B value pack of 10 cradles and bottles
PILOT-WMB	Pilot wall mount bracket



Pump bottle and cradle shown here with wall mount bracket



Pump bottle and cradle mounted to Multi-Post using wall mount bracket

 Pilot pump cradle is compatible with these accessories:



Pilot Caddy Dispenser


(Multi-Post accessories are sold separately)

The Pilot Caddy dispenser is injection moulded from durable clear polypropylene with a hinged lid.

Measuring 215mm wide x 90mm deep x 195mm tall it can be used to display A4 catalogues or a large quantity of ear plugs, safety glasses or similar.

Caddy has a slide attachment feature which allows it to quickly connect to optional wall mount brackets, or magnetic mounting brackets for attaching to steel surfaces.

Note: Caddy and brackets are ordered separately.

Part No.	Product Description
PILOT-CADDY	Pilot Caddy dispenser without bracket
PILOT-CADDY-VP	PILOT-CADDY value pack of 10
PILOT-CWM	Pilot Caddy wall mount bracket
PILOT-CMM	Pilot Caddy magna-mount bracket 



 Caddy with optional magnetic bracket







Caddy with optional wall mount bracket (fixings included)

See also
**Caddy Rack
 222**



Caddy mounted to Multi-Post

 Pilot Caddy dispenser is compatible with these accessories:

<p>Multi-Post</p> 	<p>Wall mount</p> 	<p>Magna-Mount</p> 	<p>Freestanding and stackable</p> 
--	--	---	--

25 METRE PILOT BELT UNIT FEATURES

Flexibility and Durability

Stainless Steel Bearings

Crucial internals run on sealed stainless steel bearings and a steel spindle.

Wall Receiver

Each Pilot belt barrier is supplied with one fixed wall receiver.

Built-in Receiver

The belt receiver built into the Pilot 25 body allows multiple units to be connected together for greater coverage.

Manual Belt Lock

The simple lock on lock off belt lock can be operated at any point along the belts length.

Pozi-Grip Handle

The large handle allows a positive one hand grip leaving the other hand free for operating the crank. The handle also allows the unit to be attached to the optional wall mount bracket.



25 Metre Belt & Locking Clip

The 25 metre Pilot incorporates a maintenance free manual rewind feature. It is available in 12 standard belt colours.

Utility Clips (PILOT-BUC)

Included on each belt is a sliding utility clip which allows the belt to be attached to a second receiver at any point along its length.

Reversible Crank

The Pilot 25 metre crank arm can be configured for either left or right hand operation.

Made tough to last

The Pilot 25 body is moulded from tough nylon to take the bump and grind of daily life in the field.



Pilot 25 Wall Mount Bracket

(Pilot accessories are sold separately)

The Pilot 25 wall mount bracket is a heavy duty galvanized steel construction with a capacity to accommodate 2 Pilot 25 bodies simultaneously. It can be fixed to any flat surface, the Pilot belt units simply slide on to the securing pins and can be padlocked to prevent unauthorised removal.

Part No.	Product Description
PILOT25-DWMB	Pilot 25 double wall mount bracket




Pilot 25 Surface Mount Post

(Pilot accessories are sold separately)

The Pilot 25 surface mount post is designed to be used with the Pilot 25 wall mount bracket where there is not an existing post or wall available. Each post can accommodate 2 mounting brackets meaning up to 4 Pilot 25 metre belt barriers can be mounted off the one post. 65 x 65 x 1070mm and supplied in a black powder coated finish and includes fixings for the brackets.

Part No.	Product Description
PILOT25-SMP	Pilot 25 surface mount post



Pilot 40kg Telescopic Multi-Post

The 40kg Pilot Multi-Post is designed as a vehicle for up to four Pilot 25 metre belt barriers (optional mounting brackets required), it is also compatible with a wide range of other Pilot accessories. Each Multi-Post is complete with a telescopic post that can extend 700mm from 1300mm to 2000mm. Stability can be improved even further by the addition of up to 2 x 10kg cast iron base weights, bringing the total weight up to 60 kilograms, while the 200mm diameter rubber wheels provide effortless mobility.


What's included with your 40kg Multi-Post purchase:

- 40kg base with 200mm rubber wheels
- Telescopic post – 1300 to 2000mm
- Mid-level accessory mounting adaptor
- Telescopic post locking clamp
- Aluminium double sided sign brackets (2)
- Post top accessory mounting adaptor

Part No.	Product Description
PILOT-TMP40	Pilot 40kg Telescopic Multi-Post
PILOT-BW10	Pilot 10kg cast iron base weight

PILOT-BW10

Up to two PILOT-BW10 base weights can be used with Multi-Post.



PILOT MULTI-POST FEATURES

Versatility and Mobility

Post Mount Adaptor

This Twist-lok adaptor sits at the very top of Multi-Post and accepts Pilot light and Pilot sign holders.

Bonus Sign Mount Brackets

Two double sided aluminium sign brackets with fixings to attach Multi-Post signs.

Telescopic Aluminium Post

50mm upper post has a travel of 700mm and can be locked anywhere between 1300 and 2000mm.

Accessory Mounting Adaptor

Clamps around the lower post, and accepts a range of Pilot accessories.

Lower Stainless Steel Post


63.5mm diameter by 1.5mm thick 304 grade stainless steel.

Large Rubber Wheels

The 200mm diameter rubber wheels provide a smooth and cushioned action.

40kg Cast Iron Base

The extra heavy duty base offers stability to the longer Pilot 25 metre belt units. The base can accommodate up to 2 extra 10kg weights bringing the total to 60kgs.



PS601-PP 300 x 450mm



PS604-PP 300 x 450mm



PS605-PP 300 x 450mm



PS607-PP 300 x 450mm



PS612-PP 300 x 450mm



PS613-PP 300 x 450mm



PS614-PP 300 x 450mm



PSCUSTOM-PP 300 x 450mm

Examples of stock polypropylene signs. Others available on request.